

**The School Board of Broward County, Florida
Procurement & Warehousing Services**

ITB No.:	<u>16-033B</u>	Tentative Board Meeting Date*:	<u>December 8, 2015</u>
Description:	<u>CAFETERIA EQUIPMENT</u>	Notified:	<u>235</u> Downloaded: <u>37</u>
		ITBP Rec'd:	<u>15</u> No Bids: <u>0</u>
For:	<u>FOOD AND NUTRITION SERVICES DEPARTMENT</u> (School/Department)	ITB Opening:	<u>JULY 21, 2015</u>
Fund:	<u>FOOD AND NUTRITION SERVICES DEPARTMENT'S</u> <u>OPERATING FUND</u>	Advertised Date:	<u>JUNE 17, 2015</u>
		Award Amount:	<u>\$1,600,000</u>


POSTING OF BID RECOMMENDATION/TABULATION: Bid Recommendations and Tabulations will be posted in the Procurement & Warehousing Services www.Demandstar.com on **OCTOBER 19, 2015**, and will remain posted for 72 hours. Any person who is adversely affected by the decision or intended decision shall file a notice of protest, in writing, within 72 hours after the posting of the notice of decision or intended decision. The formal written protest shall be filed within ten (10) days after the date the notice of protest is filed. Failure to file a notice of protest or failure to file a formal written protest shall constitute a waiver of proceedings under this chapter. Section 120.57(3)(b), Florida Statutes, states that "The formal written protest shall state with particularity the facts and law upon which the protest is based." Saturdays, Sundays, state holidays and days during which the school district administration is closed shall be excluded in the computation of the 72-hour time periods provided. Filings shall be at the office of the Director of Procurement & Warehousing Services, 7720 West Oakland Park Boulevard, Suite 323, Sunrise, Florida 33351. Any person who files an action protesting an intended decision shall post with the School Board, at the time of filing the formal written protest, a bond, payable to The School Board of Broward County, Florida, (SBBC), in an amount equal to one percent (1%) of the estimated value of the contract. Failure to post the bond or other security required by SBBC Policy 3320, Part VIII, Purchasing Policies, Section N, within the time allowed for filing a bond shall constitute a waiver of the right to protest.

(*) The Cone of Silence, as stated in the ITB, is in effect until this bid is approved by SBBC. The School Board meeting date stated above is a tentative date. Confirm with the Purchasing Agent of record for the actual date the Cone of Silence has concluded.

RECOMMENDATION/TABULATION

IN ACCORDANCE WITH GENERAL CONDITION 6, IT IS RECOMMENDED THAT ALL BIDS RECEIVED FOR ITEMS 41, 42, 43, AND 44 BE REJECTED. ITEMS WILL BE REBID AT A LATER DATE, WITH REVISED SPECIFICATIONS, IN ACCORDANCE WITH SCHOOL BOARD POLICIES AND PROCEDURES.

<u>VENDOR'S NAME</u>	<u>ITEM(S) AWARDED</u>
ABC RESTAURANT SUPPLIES & EQUIPMENT	PRIMARY: 7, 22, 26 ALTERNATE: 16, 18, 25, 34
ADVANCE CASE PARTS	PRIMARY: 9, 36, 37 ALTERNATE: 7, 8, 12, 35, 38
CONTROLS & WEIGHING SYSTEMS	PRIMARY: 32
CURRAN TAYLOR, INC.	ALTERNATE: 21, 49
EDWARD DON & COMPANY	PRIMARY: 1, 11, 12, 21, 27, 34, 38, 40, 46, 47, 49 ALTERNATE: 4, 26, 31, 32, 37, 39, 45
GENERAL HOTEL & RESTAURANT SUPPLY CORPORATION	PRIMARY: 29, 30, 35 ALTERNATE: 2, 5, 24, 33, 36, 46

By:  Date: 11/19/15
(Purchasing Agent)

The School Board of Broward County, Florida, prohibits any policy or procedure which results in discrimination on the basis of age, color, disability, gender expression, national origin, marital status, race, religion, or sexual orientation. Individuals who wish to file a discrimination complaint, may call the Director of Equal Educational Opportunities (EEO) at 754-321-2150 or Teletype Machine (TTY) at 754-321-2158.

Individuals with disabilities requesting accommodations under the Americans with Disabilities Act (ADA) may call the Director of Equal Educational Opportunities (EEO) at 754-321-2150 or Teletype Machine (TTY) at 754-321-2158.

RECOMMENDATION TABULATION
BID 16-033B-CAFETERIA EQUIPMENT

GREAT LAKES HOTEL SUPPLY COMPANY	ALTERNATE: 6
JOHNSON-LANCASTER & ASSOCIATES, INC.	PRIMARY: 13, 14, 17, 18, 23, 24, 28, 33, 39, 45, 48 ALTERNATE: 9, 10, 19, 20, 27
LACE FOOD SERVICE	ALTERNATE: 11, 13, 14, 28, 40
RESTAURANT DEPOT, INC. DBA RESTAURANT WAREHOUSE	PRIMARY: 15, 19, 20
STAFFORD SMITH, INC.	PRIMARY: 2, 4, 5, 6, 8, 10, 25, 31 ALTERNATE: 1, 15, 17, 22, 23, 29, 30, 47, 48

IT IS RECOMMENDED THAT THE AWARD BE MADE TO THE ABOVE LOW BIDDER MEETING SPECIFICATIONS, TERMS AND CONDITIONS.

CONTRACT PERIOD: JANUARY 9, 2016 THROUGH DECEMBER 31, 2017

By: _____ Date: 11/19/15
(Purchasing Agent)

The School Board of Broward County, Florida, prohibits any policy or procedure which results in discrimination on the basis of age, color, disability, gender expression, national origin, marital status, race, religion, or sexual orientation. Individuals who wish to file a discrimination complaint, may call the Director of Equal Educational Opportunities (EEO) at 754-321-2150 or Teletype Machine (TTY) at 754-321-2158.

Individuals with disabilities requesting accommodations under the Americans with Disabilities Act (ADA) may call the Director of Equal Educational Opportunities (EEO) at 754-321-2150 or Teletype Machine (TTY) at 754-321-2158.

BID REJECTION SHEET

16-033B - Cafeteria Equipment

Reject bids received for the following reasons. Evaluation of bids ceased upon discovery that the items offered did not meet the specifications as described on the Bid Summary Sheet and Special Conditions of the bid.

Item 1:

Reject bid for Item 1 from ABC Restaurant Supplies & Equipment, Inc. The specifications provided by the vendor for Item 1B does not state the load capacity of 800 pound as listed in the bid specification. Specifications for items 1B and 1C do not list fully welded construction. Specifications list standard casters, no brakes instead of heavy duty casters, two (2) brakes as listed in the bid specification. The measurements for the brand/model provided by the vendor for Item 1B do not meet the minimum requirement. The minimum measurement requirements for Item 1B are 69-3/4" high x 22-2/16" wide x 29-5/8" depth. The measurements for the brand/model provided by the vendor for Item 1B are 70-1/4" high x 20-1/2" wide x 26" depth. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Item 3:

Reject bid for Item 3 from Restaurant Warehouse, Inc. The brand/model submitted by the vendor indicates a 3-year limited warranty vs. a 10-year limited warranty against rust as specified. Also, the alternate item offered does not contain Microban antimicrobial protection from bacteria as specified.

Item 4:

Reject bid for Item 4 from Advance Case Parts. The brand/model submitted by the vendor for Item 4C does not meet the bid measurement requirements. The minimum measurement requirements for Item 4C are 29" high x 24" long x 32" wide. The measurements for the brand/model provided by the vendor for Item 4C are 33" high x 40-1/2" long x 24" wide. Also item offered is a 3-tier cart not a stand designed for transporting heavy equipment and specification provided is not in sufficient detail to determine if product meets minimum standards of 18 gauge reinforced top supported by 12 gauge angle legs. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Item 6:

Reject bid for Item 6 from Advance Case Parts. Page 21 of the bid (Item 6A) was not in the bid package provided by the vendor. Per Section 4: Special Conditions, 3. Award: **"...it is necessary to bid on every item in the group, and all items in the group must meet specifications in order to have the bid considered for award."**

Reject bid for Item 6 from Curran Taylor, Inc. For Items 6A and 6B, the vendor provided brands/models that were not listed as approved brands/models on the bid specifications. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Reject Original bid for Item 6 from Edward Don & Company. For Item 6B, the vendor provided a brand/model that was not listed as an approved brand/model on the bid specification. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

BID REJECTION SHEET
16-033B - Cafeteria Equipment

Item 13:

Reject Alternate Bid No. 1 of Item 13 from Edward Don & Company. For Item 13A & 13B, the vendor provided a brand/model that is 40" in height and has a maximum working steam pressure of 50 PSI. The bid specification states that the Item is not to exceed 38" in overall height and requires a maximum working steam pressure of 30 PSI. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Reject Alternate Bid No. 2 of Item 13 from Edward Don & Company. For Item 13A & 13B, the vendor provided a brand/model that has a #4 finish and a maximum working steam pressure of 50 PSI. The bid specification states that the Item shall have a #3 finish and a maximum working steam pressure of 30 PSI. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Reject bid of Item 13 from General Hotel & Restaurant Supply Corporation. For Item 13A & 13B, the vendor provided a brand/model that has a #4 finish and a working steam pressure of 50 PSI. The bid specification states that the Item shall have a #3 finish and a maximum working steam pressure of 30 PSI. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Item 14:

Reject Alternate Bid No 1 for Item 14 from Edward Don & Company. For Item 14, the vendor provided a brand/model that has a maximum working steam pressure of 50 PSI. The bid specification states that the item shall have a maximum working steam pressure of 30 PSI. The descriptive literature provided is not in sufficient detail to complete the evaluation of the bid; i.e. reinforced bar rim and perforated strainer.

Item 17:

Reject bid for Item 17 from Advance Case Parts. For Item 17, the vendor did not list the Rack Offered on their bid. The vendor sent confirmation that the information for the rack was not included and quoted the price for the racks as \$715 each.

Item 27:

Reject Alternate bid No. 1 of Item 27 from Lace Food Service. For Item 27A & 27B, the vendor provided a brand/model that does not meet the interior dimensions minimum requirements. The minimum interior dimensions measurement requirements for Item 27A are 27" w x 27-1/8" d x 29-1/4" h. The measurements for the brand/model provided by the vendor for Item 27 are 29" w x 20" h x 24-1/4" d. Also the brand/model offered does not contain a modular control panel with a 100% electrical disconnect that slides forward for ease of maintenance as stated in the bid specifications.

Item 28:

Reject bid for Item 28 from ABC Restaurant Supplies & Equipment. For Item 28A & 28C, the bidder provided a brand/model that has an amp draw that exceeds 32 and will not fit on the existing 40 amp breakers in the schools. The bid specifications states **"Nominal amperes per line not to exceed 32 to fit on existing 40 amp breaker."** The brand/model offered by the vendor for Item 28F is a one compartment steamer, not two compartment as specified and only has capacity for three (3) 12" x 20" x 2-1/2" pans, not the required six (6) as listed in the bid specification. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Reject bid for Item 28 from Advance Case Parts. Item 28E was not bid on by the vendor. Per Section 4: Special Conditions, 3. Award: **"...it is necessary to bid on every item in the group, and all items in the group must meet specifications in order to have the bid considered for award."**

BID REJECTION SHEET
16-033B - Cafeteria Equipment

Item 28: (Continued)

Reject Original bid for Item 28 from Edward Don & Company. For Item 28E, the vendor provided a brand/model that is a countertop unit without a stand. The descriptive literature provided is not in sufficient detail to complete the evaluation of the bid; i.e. stand with flanged feet, no moving parts inside cooking chamber, no water filtration required. For Item 28F, the vendor provided a brand/model that is a one compartment steamer not two compartment as specified and only has the capacity for three (3) 12" x 20" x 2-1/2" pans, not the required six (6) 12" x 20" 2-1/2" pans as listed in the bid specification. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Reject Alternate bid No. 1 of Item 28 from Lace Food Service. For Items 28A, 28B, 29C and 29D, the vendor provided a brand/model that does not have modular control panel with a 100% disconnect that slides forward for ease of maintenance as stated in the bid specifications. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Item 31:

Reject bid for Item 31 from Advance Case Parts. Item 31III was not bid on by the vendor. Per Section 4: Special Conditions, 3. Award: **"...it is necessary to bid on every item in the group, and all items in the group must meet specifications in order to have the bid considered for award."**

Item 39:

Reject bid for Item 39 from ABC Restaurant Supplies & Equipment. The brand/model offered by the vendor for Item 39 is a single compartment unit with dimensions of 27-1/4" by 33" x 39" not a double compartment with dimensions of 22" x 32" x 75" as listed in the bid specifications. The unit only has the capacity to hold seven (7) 18" x 26" sheet pans total, not the required eight (8) per compartment as listed in the bid specifications.

Reject Alternate bid for Item 39 from Edward Don & Company. For Item 39, the vendor provided a brand/model that has an amp draw of 16.7, which is not compatible with a 20 amp circuit which is in a majority of the cafeterias within the School Board of Broward County.

Reject bid for Item 39 from Stafford Smith, Inc. The brand/model offered by the vendor for item 39 has nickel chrome plated steel pan slides not stainless steel pan slides that support sheet pans from underside as listed in the bid specifications.

Item 40:

Reject bid for Item 40 from ABC Restaurant Supplies & Equipment. For Item 40, the vendor provided a brand/model that has controls on the tops of the equipment, not controls recessed and eye level as specified. The alternate item has the capacity for fifteen (15) sheet pans not total capacity of sixteen (16) sheet pans as specified. The descriptive literature provided was not in sufficient detail to complete the evaluation of the bid; i.e. welded stainless steel tray slides designed for bottom rack support, controls to have separate set, air moisture, and air temperature controls, and removable 12" x 20" stainless steel reservoir for easy cleaning.

Reject bid for Item 40 from Advance Case Parts. For Item 40, the vendor provided a brand/model that has controls on the tops of the equipment, not controls recessed and eye level as specified. The alternate item has the capacity for fifteen (15) sheet pans not total capacity of sixteen (16) sheet pans as specified. The descriptive literature provided was not in sufficient detail to complete the evaluation of the bid; i.e. welded stainless steel tray slides designed for bottom rack support, controls to have separate set, air moisture, and air temperature controls, and removable 12" x 20" stainless steel reservoir for easy cleaning.

BID REJECTION SHEET
16-033B - Cafeteria Equipment

Item 40: (Continued)

Reject Alternate bid No. 1 of Item 40 from Edward Don & Company. For Item 40, the vendor provided a brand/model that has controls on the bottom near the floor that is difficult to reach, not eye level controls. Pan slides on alternate item are nickel chrome plated steel not welded stainless steel pan slides for bottom tray support as specified. The doors on alternate item are formed .063 aluminum, not stainless steel insulated doors as specified

Reject Alternate bid No. 2 of Item 40 from Edward Don & Company. For Item 40, the vendor provided a brand/model that has controls on the tops of the equipment, not controls recessed and eye level as specified. The alternate item has the capacity for fifteen (15) sheet pans not total capacity of sixteen (16) sheet pans as specified. The descriptive literature provided was not in sufficient detail to complete the evaluation of the bid; i.e. welded stainless steel tray slides designed for bottom rack support, controls to have separate set, air moisture, and air temperature controls, and removable 12" x 20" stainless steel reservoir for easy cleaning.

Reject Alternate bid No. 1 of Item 40 from Lace Food Service. For Item 40, the vendor provided a brand/model that has controls on the top of the equipment, not controls recessed and eye level as specified. The alternate item has the capacity for fifteen (15) sheet pans not total capacity of sixteen (16) sheet pans as stated in the bid specifications. The descriptive literature provided was not in sufficient detail to complete the evaluation of the bid; i.e. welded stainless steel tray slides designed for bottom rack support, controls to have separate set, air moisture, and air temperature controls, and removable 12" x 20" stainless steel reservoir for easy cleaning.

Reject Alternate bid No. 2 of Item 40 from Lace Food Service. For Item 40, the vendor provided a brand/model that has controls on top of the equipment, not controls recessed and eye level as specified. Alternate item has nickel chrome wire pan slides not welded stainless steel pan slides. The dimensions on item offered are 30" x 36.375" x 74.75" and exceed the maximum dimensions of 29" x 32" x 73" as stated in the bid specifications.

Reject bid for Item 40 from Stafford Smith, Inc. For Item 40, the vendor provided a brand/model that has controls on the bottom near the floor that is difficult to reach, not eye level controls. Pan slides on alternate item are nickel chrome plated steel not welded stainless steel pan slides for bottom tray support as specified. The doors on alternate item are formed .063 aluminum, not stainless steel insulated doors as specified.

Item 41 – 44:

Reject all bids for these items. Items will be rebid with revised specifications.

Item 45:

Reject bid for Item 45 from Curran Taylor, Inc. For Item 45A \$ 45B, the vendor provided a brand/model that has the capacity for six (6) racks and computer touch screen. The bid specification states that there must be a capacity for seven (7) racks for a total of seven (7) 18" x 26" pans and that there must be one control knob to control temperature and humidity. The descriptive literature provided was not in sufficient detail to complete the evaluation of the bid; i.e.: large LED displays, humidity control auto adjusts, simple controls with no pre-programming required, cool to touch tempered glass door.

Reject Alternate bid No. 1 of Item 45 from Lace Food Service. For Item 45A \$ 45B, the vendor provided a brand/model that has the capacity for six (6) racks and computer touch screen. The bid specification states that there must be a capacity for seven (7) racks for a total of seven (7) 18" x 26" pans and that there must be one control knob to control temperature and humidity. The descriptive literature provided was not in sufficient detail to complete the evaluation of the bid; i.e.: large LED displays, humidity control auto adjusts, simple controls with no pre-programming required, cool to touch tempered glass door.

BID REJECTION SHEET
16-033B - Cafeteria Equipment

Item 45: (Continued)

Reject Alternate bid No. 2 of Item 45 from Edward Don & Company. For Item 45A \$ 45B, the vendor provided a brand/model that has the capacity for six (6) racks and computer touch screen. The bid specification states that there must be a capacity for seven (7) racks for a total of seven (7) 18" x 26" pans and that there must be one control knob to control temperature and humidity. The descriptive literature provided was not in sufficient detail to complete the evaluation of the bid; i.e.: large LED displays, humidity control auto adjusts, simple controls with no pre-programming required, cool to touch tempered glass door.

Reject bid for Item 45 from Restaurant Depot dba Restaurant Warehouse. For Item 45A, the vendor provided a brand/model that has a total amp draw of 61.4 at 208 v., 3 phase. The bid specification states that the total amp draw cannot exceed 55 at 208 v., 3 phase. The descriptive literature provided was not in sufficient detail to complete the evaluation of the bid; i.e.: Large LED display, humidity control auto adjusts, simple controls with no pre-programming required, cool to touch tempered glass door. Per Section 4: Special Conditions, 3. Award: **"...all items in the group must meet specifications in order to have the bid considered for award."**

Item 48:

Reject bid for Item 48 from Advance Case Parts. The brand/model that the vendor provided was not listed as an approved brand/model in the bid specification.

Item 49:

Reject bid for Item 49 from ABC Restaurant Supplies & Equipment. Bidder was requested to provide a drawing of the cook's table per the bid specification: **"For all custom made cook's table, a complete drawing, illustrating the following information, but not limited to dimensions, sizes, types of materials, and accessories, must be furnished for evaluation purposed. Failure to furnish complete drawing will result in disqualification of bid item."** Vendor provided the drawing that was included in the bid package only which is not in sufficient detail to complete the evaluation of the bid per Special Condition 9.

Reject bid for Item 49 from Stafford Smith, Inc. Bidder was requested to provide a drawing of the cook's table per the bid specification: **"For all custom made cook's table, a complete drawing, illustrating the following information, but not limited to dimensions, sizes, types of materials, and accessories, must be furnished for evaluation purposed. Failure to furnish complete drawing will result in disqualification of bid item."** Vendor provided the drawing that was included in the bid package only which is not in sufficient detail to complete the evaluation of the bid per Special Condition 9.